

Amendments to the Claims

This listing of claim will replace all prior versions and listings of claim in the application.

1-37. Canceled.

38. (new) An system for synchronizing data between a first system and a second system, comprising:

a first sync engine on the first system interfacing with application data and a previous state of application data associated with the first system to generate a first change log;

a data store coupled to network and in communication with the first and second systems storing at least one change log from the first sync engine; and

a second sync engine on the second system coupled to receive the first change log from the data store, and interfacing with application data on the second system to update said data on the second system with difference information in said first change log.

39. (new) The apparatus of claim 38 wherein the change log identifies changes for a particular user.

40. (new) The apparatus of claim 38 further including a third device having a third sync engine interfacing with application data and a previous state of application data associated with the application data on the third device to generate a second change log.

41. (new) The apparatus of claim 40 wherein data store stores said first and said second change logs.

42. (new) The apparatus of claim 40 wherein the second sync engine is coupled to receive the first and second change logs from the data store and interfaces with application

data on the second system to update data on the second system with difference information in said first and second change logs.

43. (new) The apparatus of claim 41 wherein said first and second change logs contain difference information for a particular user.

44. (new) The apparatus of claim 38 wherein the change log is transmitted to the data store at a first point in time, and received from the data store at a second, subsequent point in time.

45. (new) The apparatus of claim 38 wherein said second sync engine interfaces with said data on the second system to provide a third change log.

46. (new) The apparatus of claim 45 wherein the first sync engine couples to the data store to retrieve the third change log and interfaces with the data on the first system to update said data on the first system with said third change log.

47. (new) The apparatus of claim 38 further including a management server coupled to the network and in communication with the first sync engine, the second sync engine and the data store.

48. (new) The apparatus of claim 45 wherein said management server authorizes access of difference information on the data store by the first and second sync engines.

49. (new) The apparatus of claim 48 wherein said data comprises changes to a previous state of the data, and said difference information comprises said changes in an encoded, universal format.

50. (new) The apparatus of claim 38 wherein each said sync engine comprises:

an application data interface; and
a difference transaction generator.

51. (new) The apparatus of claim 38 wherein the first system includes a processing device and a data storage apparatus, and the previous state of data is provided on the data storage apparatus.

52. (new) The apparatus of claim 38 wherein the previous state of data is provided on a storage device in communication with the first system.

53. (new) An method for synchronizing data between a first system and a second system, comprising:

receiving at least one change log from a first sync engine on the first system reflecting changes to data on the first system between said data and a data store reflecting a previous state of data on the first system;

storing said at least one change log in a data storage server coupled to the network and in communication with the first system and the second system; and

providing said at least one change log to a second sync engine on the second system coupled to receive the change log from the data store, and interfacing with data on the second system to update said data on the second system with difference information in said change log.

54. (new) The method of claim 53 wherein said step of receiving occurs at a first point in time, and said step of providing occurs at a second, subsequent point in time.

55. (new) The method of claim 53 wherein the step of providing is performed in response to a call from the second system for at least one change log.

56. (new) The method of claim 53 wherein the step of receiving includes receiving at least a first and a second change log, the first and the second change log including changes for a respective first and second users.

57. (new) The method of claim 53 wherein said steps are performed on an Internet coupled processing device.

58. (new) The method of claim 53 wherein the step of receiving includes receiving at least a first and a second change logs from at least a respective first and second systems, each said change log including changes for a respective first and second users.

59. (new) The method of claim 53 wherein the receiving step includes receiving a plurality of change logs.

60. (new) The method of claim 59 wherein the providing step includes providing at least one of the plurality of change logs to the second system.

61. (new) The method of claim 60 wherein each of said plurality of change logs includes changes for a user.

62. (new) The method of claim 60 wherein said plurality of change logs includes changes for at least two users, each change log containing changes for one of said at least two users.

63. A method for transmitting changes between a first system and a second system on a network, comprising:

providing, to a first system, code operable to extract a change log of differences between at least a first data file on the first system and a data store associated with the first system;

storing ones of said change logs on a data storage device coupled to the network, said change logs being segregated by user; and

providing, to a second system, code operable to apply the change log from the first system, and code operable to extract a second change log of differences between a second data file on the second system and a data store associated with the second system.

64. (new) The method of claim 63 wherein the first change transactions are transmitted to the data store by the first system at a first point in time and received from the data store by the second device at a second, subsequent point in time.

65. (new) The method of claim 63 wherein the first differencing code receives second change transactions from the data store to and interfaces with at least the first data file on to update said data with said second change log.

66. (new) The method of claim 63 further including the step of:
receiving a plurality of change logs from a the code on the first system and the second system, each change log reflecting changes to data for a user on one of the systems , the changes being between application data on the system and a data store reflecting a previous state of data on the system.

67. (new) The method of claim 66 further including the step of:
providing one or more of said plurality of change logs for the user to a requesting one of said systems, said requesting one of said systems including code interfacing with data on the system to update said data on the system with difference information in said change log.

68. (new) An method for synchronizing data, comprising:

receiving a plurality of change logs from a plurality of sync engines, each change log reflecting changes to data for a user on one of a plurality of systems between application data on the system and a data store reflecting a previous state of data on the system;

storing said plurality of change log in a data storage server coupled to the network and in communication with at least one of the plurality of systems; and

providing one or more of said plurality of change logs for the user to a requesting one of said plurality of systems, said requesting one of said plurality of system including code interfacing with data on the second system to update said data on the second system with difference information in said change log.

69. (new) The method of claim 68 wherein the step of receiving includes receiving at least one change log with data for a first user and at least one change log with data for a second user.

70. (new) The method of claim 68 wherein the step of providing includes providing at least one change log for the first or the second user.

71. (new) The method of claim 68 wherein the step of providing includes providing all change logs for the respective first or second user.

72. (new) The method of claim 68 wherein said step of receiving occurs at a first point in time, and said step of providing occurs at a second, subsequent point in time.

73. (new) The method of claim 68 wherein the step of providing is performed in response to a call from the second system for at least one change log.